# SWI

Which De-Icing Product
Should I Use?

Scotwood Industries, Inc.

Providing Superior
Delcing Products
& Customer Service
Since 1987

De-Icing Liquids

with and without

**Corrosion Inhibitors** 

Available by bulk tanker truck, bulk rail car, 250 gallon totes, 55 gallon drums and 5 gallon pails.

Call today
for information
and a quote!
913-851-3500 • 800-844-2022

# Liquid Magnesium Chloride FreezGard Zero & FreezGard CI+

- Used widely to anti-ice (pre-storm) streets and highways
- Very low freeze point (-27° F)
- Very low working temperature of 0°F to -5°F
- Corrosion inhibited and meets PNS specifications for corrosion and environmental friendliness
- Used to pre-wet salt at the spinner or as a top spray on loaded trucks
- Has a "wider dilution range"
- · Most widely used product from the Midwest to the West Coast

# Liquid IceBan Blends

- The first patented organic / agricultural ice melt product
- Most environmentally friendly de-icing product
- Best PNS corrosion and environmental test results of all de-icing materials
- Bulk salt treated w/ IceBan works faster and at lower temps & reduces corrosion compared to untreated salt
  Treated bulk salt PLUS liquid CaCl2 or FreezGardCl+ is the best of all worlds!
- Treating bulk salt can provide many of the advantages of liquid w/o the investment and learning curve required to use liquids

# Liquid Calcium Chloride

- · Has been used longer than any other liquid de-icing material
- Goes to the lowest freeze point (-59° F) of any unmixed liquid product
- Very low working temperature (-15° F to -20° F)
- Used widely to pre-wet salt at the spinner or as a top spray on loaded trucks
  - Mixes well with salt brine and other "de-icing cocktails"
    - Widely used across the country, from the Midwest to the East Coast



Scotwood Industries, Inc.

# **Product Data Sheet**



9900 West 109<sup>th</sup> Street - Suite 100 Overland Park, Kansas 66210 Phone 800-755-7258 Fax 800-359-7258

# FREEZGARD® CI PLUS

### **PRODUCTION LOCATION**

Ogden, Utah

# PRODUCT DESCRIPTION

Produced naturally from the Great Salt Lake, FreezGard® CI Plus is specially formulated for deicing and anti-icing. It remains active (liquid) at cold temperatures while minimizing precipitates down to zero degrees Fahrenheit. FreezGard Zero is a tan to light amber liquid with a density of approximately 185 gallons per ton. A corrosion inhibitor has been added to reduce the corrosion rate.

Typical Analysis			Typical	Range
Magnesium Chloride	MgCl <sub>2</sub>	(%)	29.8	28 - 32
Sulfate	SO <sub>4</sub>	(%)	0.75	0.3 - 1.2
Potassium	K	(%)	0,30	0.1 - 0.5
Calcium	Ca	(%)	0.20	0.1 - 0.3
Water	H₂O	(%)	67	65 - 70
CI Plus Inhibitor		(%)	2.0	1,8 - 2,2

### **METHOD OF ANALYSIS**

All testing is from Compass Minerals' internal quality control procedures, which are available upon request.

## **APPLICATION AND STORAGE**

This liquid MgCl2 product in storage should be agitated regularly to minimize precipitation of undesirable solids/crystals. Application equipment should be washed daily with water. Storage equipment should be rinsed with water to prevent buildup of solids. Aluminum storage tanks or hauling equipment should not be grounded. Over application of MgCl2 may result in unusually slippery road surfaces and should be avoided.

#### **CORROSION INHIBITOR**

The CI Plus Corrosion inhibitor is a proprietary formulation that is optimized to significantly reduce metal corrosion in winter conditions.

# PHYSICAL PROPERTIES

Specific Gravity 1.29 +/- 0.03 pH (5% Solution) 7 - 9

Weight 10.5 - 11.2 lbs./gallon



# SAFETY DATA SHEET

1. Product and Company Identification

Product identifier Magnesium Chloride Aqueous Solution

Other means of identification 7786-30-3

FREEZGARD LITE CI PLUS

FREEZGARD ZERO CI PLUS FREEZGARD LITE CI PLUS LS

DustGard
DustGard Plus
FreezGard Zero
FreezGard Lite
MagnaPro

Recommended use

Dust supression, deicing, general industrial, and speciality uses.

Recommended restrictions

None known.

Manufacturer

North American Salt Company A Compass Minerals Company 9900 West 109th Street, Suite 100 Overland Park, KS 66210 US

Phone: 913-344-9200

CHEMTREC

1-800-424-9300 1-613-996-6666

2. Hazards Identification

Physical hazards

Health hazards

Not classified. Not classified.

**Environmental hazards** 

Not classified.

OSHA defined hazards

Not classified.

Label elements

**Hazard symbol** 

None.

Signal word

None.

**Hazard statement** 

The substance does not meet the criteria for classification,

Precautionary statement

Prevention

Observe good industrial hygiene practices.

Response

Wash hands after handling.

Storage

Store away from incompatible materials.

Disposal

Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

Not applicable.

3. Composition/Information on Ingredients

**Mixture** 

**Composition comments** 

The criteria for listing components in this section are: Carcinogens, Respiratory Sensitizers, Mutagens, Teratogens and Reproductive toxins are listed when present at 0.1% or greater; components which are otherwise hazardous according to WHMIS/OSHA are listed when present at 1.0% or greater. Non hazardous components are not listed. The products pertaining to this SDS have various proportions of components which do not meet the listing criteria.

4. First Aid Measures

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact

Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact

Rinse with water. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.

Most important Direct contact with eyes may cause temporary irritation. symptoms/effects, acute and delayed Indication of immediate Treat symptomatically. medical attention and special treatment needed Ensure that medical personnel are aware of the material(s) involved, and take precautions to General information protect themselves. 5. Fire Fighting Measures Suitable extinguishing media Treat for surrounding material. Unsultable extinguishing None known. media Specific hazards arising from During fire, gases hazardous to health may be formed. the chemical Self-contained breathing apparatus and full protective clothing must be worn in case of fire. Special protective equipment and precautions for firefighters Fire-fighting Use standard firefighting procedures and consider the hazards of other involved materials. equipment/instructions Specific methods Cool containers exposed to flames with water until well after the fire is out. General fire hazards No unusual fire or explosion hazards noted. **Hazardous** combustion May include and are not limited to: Hydrogen chloride. Chlorine gas. Oxides of magnesium. products **Explosion data** Sensitivity to mechanical Not available. **impact** Sensitivity to static Not available. discharge 6. Accidental Release Measures Personal precautions, Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. protective equipment and emergency procedures Methods and materials for Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills containment and cleaning up from entering sewers or waterways. Contact emergency services and supplier for advice. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. **Environmental precautions** 7. Handling and Storage Precautions for safe handling Avoid contact with eyes, skin and clothing. Use good industrial hygiene practices in handling this material. Conditions for safe storage, Keep container tightly closed in a cool, dry and well-ventilated place. Store away from incompatible including any incompatibilities materials (see Section 10 of the SDS). 8. Exposure Controls/Personal Protection Occupational exposure limits No exposure limits noted for ingredient(s). **Biological limit values** No biological exposure limits noted for the ingredient(s). Appropriate engineering TWA PEL: No specific limits have been established for magnesium chloride (a soluble substance). As a guideline, OSHA (United States) has established the following limits which are controls generally recognized for inert or nuisance dust. Particulates Not Otherwise Regulated (PNOR): 5mg/cu.m. Respirable Dust 8-Hour TWA PEL, 15mg/cu.m. Total Dust 8-Hour TWA PEL. TWA TLV: No specific limits have been established for magnesium chloride (a soluble substance). As a guideline, ACGIH (United States) has established the following limits which are generally

levels below recommended exposure limits. If user operations generate dust, fumes, or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Eye/face protection

Safety glasses

Individual protection measures, such as personal protective equipment

recognized for inert or nuisance dust. Particulates (insolubles) Not Otherwise Classified (PNOC): 10mg/cu.m. Inhalable Particulate 8-Hours TWA TLV, 3mg/cu.m. Respirable Particulate TWA TLV. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne

Skin protection

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Other

As required by employer code.

Respiratory protection

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator or

NIOSH-approved filtering facepiece.

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and Chemical Properties

**Appearance** 

Liquid Liquid.

Physical state Form

Crystalline.

Color

Colorless to Light amber

Odor

Odorless

Odor threshold

Not available.

pН

7 - 9 (5% solution)

Melting point/freezing point Initial boiling point and boiling -1 °F (-18.33 °C) (30% solution, periodically mixed to ensure homogeneity)

Not applicable

range

225 °F (107.22 °C)

Pour point

Not available.

Specific gravity

1.24 - 1.34 (H2O = 1)

**Partition coefficient** 

Not available.

(n-octanol/water)

Flash point Not available.

**Evaporation rate** 

Not available.

Flammability (solid, gas)

Not applicable.

#### Upper/lower flammability or explosive limits

Flammability Ilmit - lower

Not available.

(%) Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available. Not available.

Vapor density

Relative density Solubility(les)

Not available.

Auto-ignition temperature

Not available.

**Decomposition temperature** 

Not available.

Viscosity

Not available.

## 10. Stability and Reactivity

Easily soluble in cold water, hot water, methanol, acetone.

Reactivity

Reactive with oxidizing agents, acids, metals in presence of moisture.

Possibility of hazardous

No dangerous reaction known under conditions of normal use.

reactions

Material is stable under normal conditions.

**Chemical stability** Conditions to avoid

Contact with incompatible materials.

incompatible materials Hazardous decomposition Acids. Strong oxidizing agents. Metals.

products

May include and are not limited to: Hydrogen chloride. Chlorine gas. Oxides of magnesium.

### 11. Toxicological Information

Information on likely routes of exposure

Ingestion

Expected to be a low ingestion hazard.

Inhalation

No adverse effects due to inhalation are expected.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

**Acute toxicity** 

Not classified.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

**Exposure minutes** 

Not available.

Erythema value

Not available.

Oedema value

Not available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Corneal opacity value

Not available.

iris lesion value

Not available.

Conjunctival reddening

Not available.

value

Not available.

Recover days

Not available.

Respiratory or skin sensitization

Conjunctival oedema value

Respiratory sensitization

Not classified.

Skin sensitization

This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Teratogenicity

Not classified.

Specific target organ toxicity - single exposure

Not classified.

single exposure

Not classified.

Specific target organ toxicity - repeated exposure

**Aspiration hazard** 

Not classified, Not classified.

Chronic effects
Further information

This product has no known adverse effect on human health.

Name of Toxicologically

Not available.

Synergistic Products

### 12. Ecological Information

**Ecotoxicity** 

May be harmful to freshwater aquatic species and to plants that are not saline tolerant.

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential Mobility in soil No data available. No data available.

Mobility in general

Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal Considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

#### Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

#### 14. Transport Information

#### U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

#### 15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products

Regulations and the SDS contains all the information required by the Controlled Products

Regulations.

WHMIS status

Not Controlled

#### US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** 

Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

**SARA 302 Extremely** 

hazardous substance

No

SARA 311/312 Hazardous

chemical

(SDWA)

No

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Safe Drinking Water Act

Not regulated.

**Food and Drug** 

Administration (FDA)

Total food additive Direct food additive

**GRAS** food additive

**US state regulations** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US. Massachusetts RTK - Substance List

Not regulated.

US. Pennsylvania RTK - Hazardous Substances

Not regulated.

**US. Rhode Island RTK** 

Not regulated.

#### **Inventory status**

Country(s) or region

**Inventory** name

On inventory (yes/no)\*

Canada Canada Domestic Substances List (DSL)

Yes No

United States & Puerto Rico

Non-Domestic Substances List (ND\$L) Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

## 16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH /	1
FLAMMABILITY	0
PHYSICAL HAZARD	0



Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date Effective date Explry date

15-January-2015 15-January-2018

16-January-2015

Further information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Prepared by Other information Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.