Warning

Hazard Statements

May be harmful if swallowed. Causes skin irritation. May be harmful if inhaled. May cause respiratory irritation. Causes serious eye irritation. Causes eve irritation.

Precautionary Statements for handling: Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If in eyes, rinse with water and seek medical attention if symptoms persist. Take off contaminated clothing and wash before reuse. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/ attention. If eye irritation persists: Get medical advice/attention. Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container properly as required by law for waste pesticides.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a gualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on impervious surfaces back into your turf.

Do not apply to frozen turf.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Country	V Club® IV	
FERTILIZER		
GUARANTEED ANALYSIS	GUARANTEED MINIMUM ANALYSIS	
Total Nitrogen (N)17%	Total Nitrogen (N)17%	
5.4% Ammoniacal Nitrogen	5.4% Ammoniacal Nitrogen	
2.7% Water Insoluble Nitrogen* 4.5% Urea Nitrogen	2.7% Water Insoluble Nitrogen* 4.5% Urea Nitrogen	
4.5% Other Water Soluble Nitrogen*	4.5% Ofea Nitrogen 4.4% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)17%	Soluble Potash (K ₂ O)17%	
Iron (Fe) 1.0%	Iron (Fe) (actual)	
0.1% Water Soluble Iron (Fe)	0.10% Water Soluble Iron (Fe)	
Manganese (Mn) 0.5%	Manganese (Mn) (actual)0.5%	
0.5% Water Soluble Manganese	0.5% Water Soluble Manganese	
Derived from: ammonium sulfate, methylene ureas, urea, sulfate of	*7.1% slowly available nitrogen from methylene ureas.	
potash, iron sucrate, manganese sulfate. *7.1% slowly available nitrogen from methylene ureas.	Derived from: ammonium sulfate, methylene ureas, urea, sulfate of potash, iron sucrate, manganese sulfate.	
U.S.A	CANADA	

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

Application Rates: To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.0 lbs per 1,000 sq. ft. or 218 lbs. per acre. To feed at the rate of $\frac{1}{2}$ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.8 lbs per 1,000 sq. ft. or 122 lbs. per acre.		
SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N/1.000 sa. ft.	0.5 # N/1,000 sq. ft.
Andersons Accu		Ē
Earthway Rotar	y 12	10
Gandy	23	20
Lely	3½ II	2
Lesco (letter/numeric)F/16		D/14
Spyker	21/2	1½
Vicon	18	15
These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.		

Application Rates: To feed at the rate of 0.41 kg Nitrogen (N) apply at 2.48 kg of product per 100 sq. meters To feed at the rate of 0.23 kg Nitrogen (N) apply at 1.37 kg of product per 100 sq. meters SUGGESTED SPREADER SETTINGS 0.41 kg N/100 m² 0.23 kg N/100 m² Spreader Andersons AccuPro Earthway Rotary 12 10 Gandy 23 20 Lely 3½ II 2 II Lesco (letter/numeric)F/16 D/14 Spyker 21/ 11/2 Vicon 18 15 These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m², applied every 4 to 8 weeks during the local growing season.

different settings for desired coverage.

 Increased granule visibility for easy application Utilizes patented Composite Technology[®] • Features METH EX slow-release nitrogen • SGN 80 granules are ideal for putting greens



Manufactured by: Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042 800-233-0628 • (717) 273-1685 Made in the U.S.A. www.LebanonTurf.com



Information regarding the contents and levels of metals in this product is available on the Internet at: http://www.regulatory-info-lebsea.com

40 Lbs. (18.14 kg) Net Weight