

**Material
Safety
Data
Sheet**
ferti-lome® St. Augustine Weed & Feed
SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Name: Voluntary Purchasing Groups, Inc.	Box 460, Bonham, TX 75418
Emergency Telephone: (903) 583-5501 or (800) 424-9300 (Chemtrec)	
For Additional Information Contact: Product Manager or Chemtrec	Date Prepared: 03-14-03
Common Name (Used on Label): ferti-lome® St. Augustine Weed & Feed	Chemical Family: Does not apply
Chemical Name: Does not apply	Formula: Mixture of urea, monoammonium phosphate, muriate of potash, diatomaceous earth, atrazine, vermiculite, and water.
Trade Name & Synonyms: ferti-lome® St. Augustine Weed & Feed EPA # 7401-336	

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENT	CAS NUMBER	% (TYPICAL)	TLV (UNITS)	PEL (UNITS)
Attapulgite	12174-11-7	Proprietary	0.1 mg/m3*	0.1 mg/m3*
Monoammonium phosphate	7722-76-1	Proprietary	Not established	Not established
Potassium chloride	7447-40-7	Proprietary	Not established	Not established
Atrazine	1912-24-9	Proprietary	5 mg/m3	5 mg/m3

* Respirable quartz

PEL: Permissible Exposure Limit established by the Occupational Safety and Health Administration.

TLV: Threshold Limit Value recommended by the American conference of Governmental Industrial Hygienists.

SECTION 3 - PHYSICAL DATA

BOILING POINT (°F) Does not apply	SPECIFIC GRAVITY (H ₂ O=1) 0.5	VAPOR PRESSURE (mm Hg) Does not apply
PERCENT VOLATILE BY VOLUME (%) 1%	VAPOR DENSITY (AIR=1) Does not apply	EVAPORATION RATE (ethyl ether=1) Does not apply
SOLUBILITY IN WATER Appreciable	REACTIVITY IN WATER Will not evolve flammable or toxic gases.	
APPEARANCE AND ODOR Multicolored granules; slight chlorine odor		

SECTION 4 - FIRE AND EXPLOSION DATA

FLASH POINT (°F) Does not apply	FLAMMABLE LIMITS IN AIR (% by volume) Lower: Not determined Upper: Not determined	
EXTINGUISHING MEDIA Water, foam, dry chemical, or carbon dioxide	AUTO IGNITION TEMPERATURE Not determined	
UNUSUAL FIRE AND EXPLOSION HAZARDS Decomposes upon heating to liberate ammonia. Avoid dispersion of dust in air to reduce potential explosion		

10915

hazard.

SPECIAL FIRE FIGHTING PROCEDURES

Wear pressure-demand, self-contained breathing apparatus, MSHA/NIOSH approved , and full protective gear. Avoid inhalation of fumes and dusts.

SECTION 5 - HEALTH INFORMATION**PRIMARY ROUTES OF EXPOSURE AND TARGET ORGANS**

Skin contact, inhalation, eye contact, ingestion

SIGNS AND SYMPTOMS OF EXPOSURE**(1) ACUTE OVEREXPOSURE**

Ingestion of large quantities may cause symptoms of non-specific irritation of the gastrointestinal tract; nausea, vomiting, cramps, and diarrhea. Eye and skin contact may result in local irritation. Inhalation of high concentrations may result in upper respiratory tract irritation.

(2) CHRONIC OVEREXPOSURE

Inhalation of dust may permanently damage the lungs and result in the development of pneumoconiosis, silicosis, or other respiratory disorders. May cause reproductive effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

Disorders of respiratory system, dermatitis or other skin disorders.

CHEMICAL/COMPONENT LISTED AS CARCINOGEN OR POTENTIAL CARCINOGEN

None

NTP YES NO**IARC** YES NO**OSHA** YES NO**OTHER EXPOSURE LIMITS**ACGIH TLV (nuisance dusts)= 10mg/m³; OSHA PEL (nuisance dusts)= 15mg/m³**EMERGENCY AND FIRST AID PROCEDURES**

INGESTION: Induce vomiting immediately by giving two glasses of water and sticking finger down throat. Never give anything by mouth to an unconscious person. Call a physician. **EYE CONTACT:** Immediately flush eyes with plenty of water for at least 15 minutes, holding eyelids apart to ensure flushing of the entire surface of the eye and lids with water. Obtain medical attention if irritation persists. Oils and ointments should not be used directed by a physician. **SKIN CONTACT:** Immediately wash skin with soap and water. **INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.

SECTION 6 - REACTIVITY DATA**STABILITY** Unstable Stable**CONDITIONS TO AVOID**

Decomposes upon heating.

INCOMPATIBILITY (Materials to Avoid)

Strong oxidizers, acids, and alkalis

HAZARDOUS DECOMPOSITION PRODUCTS

Ammonia, phosphorous oxides, sulfur oxides, cyanuric acid, cyanic acid, and carbon dioxide.

HAZARDOUS POLYMERIZATION May Occur Will Not occur**CONDITIONS TO AVOID**

Avoid heating or direct exposure to sunlight.

SECTION 7 - SPILL OR LEAK PROCEDURES**STEPS TO BE TAKEN IN CASE MATERIAL IS LEAKED OR SPILLED**

Cleanup spills may require personal protective equipment. See Section 8. Sweep-up or vacuum the material and transfer to a sealed, labeled container. Do not allow to contaminate water supplies.

WASTE DISPOSAL METHOD

Dispose of in accordance with Federal, State, and local regulations

SECTION 8 - PERSONAL PROTECTION INFORMATION**RESPIRATORY PROTECTION**

NIOSH/MSHA approved for protection against toxic dusts containing quartz.

VENTILATION

Local or general exhaust to maintain exposure below TLV/PEL.

PROTECTIVE GLOVES

PVC or Neoprene

EYE PROTECTION

Safety glasses or goggles (ANSI Z87.1 1979)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Apron, boots, long sleeve shirt and full-length pants (or overalls) may be worn when necessary to prevent skin contact. Eye wash and shower facilities should be available.

SECTION 9 - SPECIAL PRECAUTIONS**PRECAUTIONS TO BE TAKEN IN HANDLING & STORING**

Corrosive to cast iron and aluminum. Store in dry, cool, ventilated area, out of direct sunlight. Keep out of reach of children. Harmful if swallowed.

OTHER PRECAUTIONS

Avoid contact with eyes, prolonged contact with skin, inhalation of dust, and contamination of food and feed. Do not contaminate water supplies, lakes, streams or ponds. Do not reuse container.

SECTION 10 - OTHER INFORMATION

The information contained within was obtained from authoritative sources and is believed to be accurate for the manner in which the product is intended to be used. Other uses could result in ramifications, which are not included within this document.