

A Humic Acid Solution with Nitrogen

6-0-0

GUARANTEED ANALYSIS	5
---------------------	---

F1560

Distributed by: LESCO, Inc. 1385 East 36th Street, Cleveland, OH 44114-4114 LESCO is registered and Green Flo is a trademark of LESCO Technologies, LLC.



READ LABEL CAREFULLY CAUTION - KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. May cause gastrointestinal distress. Avoid contact with eyes, skin and clothing. Safety goggles or a full face shield should be worn. Wear appropriate protective equipment to protect skin. Avoid breathing spray mist or vapor. Contact may cause eye or skin irritation. See First Aid instructions below in case of contact. Keep containers closed. Wash thoroughly after handling.

FIRST AID: In case of contact with eyes, immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention if irritation occurs. In case of skin contact, flush skin with water. If irritation occurs, seek immediate medical attention. Remove and wash contaminated clothing before reuse. If swallowed, give large amounts of water and induce vomiting by touching back of throat with finger unless unconscious. Seek immediate medical attention.

HANDLING AND STORAGE: Minimize skin exposure. Store mini-bulks and smaller containers out of the sun in an area of moderate temperature. Do not re-use containers.

Avoid containers, piping or fittings made of copper containing alloys or galvanized metal. Dispose of container according to Federal EPA procedures as outlined in the Resource Conservation Act (RCRA) and follow state and local guidelines. Triple rinse and puncture as required.

IN CASE OF SPILL: Contain spill and maximize recovery. Keep spill out of water sources. Exercise caution in area of spill for slippery conditions. Dispose of spilled material in accordance with regulatory requirements.



#511126

Lesco[®] Green Flo™ Humic Supplement 6-0-0

DIRECTIONS FOR USE - TURF GRASSES LAWN CARE PROGRAM

LESCO[®] Green Flo[™] Humic Supplement 6-0-0 may be applied as a spray application on all turf grasses (cool, transitional and warm season) including lawns, athletic fields, and golf courses, fairways, greens and tees.

LESCO[®] Green Flo[™] Humic Supplement 6-0-0 may be applied as a dilute solution via hand gun or spray boom application and may be injected through the irrigation system. Apply with sufficient water to achieve adequate soil absorption especially during periods of low humidity and high temperature to achieve the maximum benefit of foliar fertilization.

APPLICATION: Initiate application in spring when first green-up appears and repeat as needed during the active growing season. Apply in 1 ½ to 4 gallons of spray solution per 1000 sq ft.

LIGHT OR SANDY SOILS: Recommended application rate is 1 gallon per acre in 4 to 6 applications at 8 to 12 week intervals. Irrigate or water in to ensure maximum soil contact.

HEAVY OR COMPACTED SOILS: Initial application rate may vary from 3 to 4 gallons per acre. Subsequent application rates are recommended at 1 gallon per acre as needed. Best results are achieved when initial application immediately follows aeration. Irrigate or water in to ensure maximum soil contact.

FERTIGATION: LESCO[®] Green Flo[™] Humic Supplement 6-0-0 and blends may be injected during each irrigation utilizing the current technology and equipment available to the golf course superintendent. It is recommended that rates be in accordance with soil testing data and the equipment manufacturer's recommendations.

LESCO Green Flo Humic Supplement 6-0-0 TANK MIXING PROCEDURES

- 1. Add 1/2 of total water to spray tank.
- 2. Begin circulating material in tank.
- 3. Add recommended amount of Green Flo Humic Supplement 6-0-0.
- 4. Add compatible micronutrients.
- 5. Add flowable materials.
- 6. Add emulsifiables.
- Add any soluble powders and/or water soluble fertilizers. All should be pre-dispersed in water before adding to the spray tank solution.
- Complete filling of spray tank to desired volume. Continue circulating prior to and during spray application.

CAUTION (APPLICATION)

- Do not apply LESCO[®] Green Flo[™] Humic Supplement 6-0-0 to foliage of any plant when temperatures are above 90° F.
- When mixing LESC0[®] Green Flo[™] Humic Supplement 6-0-0 or any liquid fertilizer with pesticides, always maintain vigorous agitation during filling and spraying operations.
- LESC0[®] Green Flo[™] Humic Supplement 6-0-0 should be stored at a temperature above 32°F.

FORMULATION AND HANDLING FACTORS:

Pounds per gallon	9.2
Gallons per ton	
Pounds N per gallon	
Pounds Humic Acid per gallon	
pH	
Salting-Out Temperature, °F	<<32
Freezing Point, °F	

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reason-ably fit for the purposes stated 1n the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT W TH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUVER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, INC. BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES. LESCO, INC. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc. Information concerning the raw materials composing this product can be obtained by writing to:

 ${\sf LESCO}, {\sf Inc.}, {\sf Attn:} {\sf RA} {\sf Dept.}, 1385 {\sf East} 36th {\sf Street}, {\sf Cleveland}, {\sf OH} 44144, {\sf referring} to the item number found on this container.}$

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.htm

LESC0 is registered and Green Flo is a trademark of LESC0 Technologies, LLC. Rev 10/18/19 KS $\,$