

# Pro

# LEBANON Scape®



## FERTILIZER

# 32-0-6

# MESA

PATENTED

### GUARANTEED ANALYSIS

Total Nitrogen (N) ..... 32%  
 3.9% Ammoniacal Nitrogen  
 2.4% Water Insoluble Nitrogen\*  
 21.6% Urea Nitrogen  
 4.1% Other Water Soluble Nitrogen\*  
 Soluble Potash (K<sub>2</sub>O)..... 6%  
 Sulfur (S)..... 4.5%  
 4.5% Combined Sulfur (S)

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

\*6.5% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than ..... 6.0%

U.S.A.

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) ..... 32%  
 3.9% Ammoniacal Nitrogen  
 2.4% Water Insoluble Nitrogen\*  
 21.6% Urea Nitrogen  
 4.1% Other Water Soluble Nitrogen\*  
 Soluble Potash (K<sub>2</sub>O)..... 6%  
 Sulfur (S)..... 4.5%  
 4.5% Combined Sulfur (S)

Chlorine (Cl) (maximum) ..... 6.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

\*6.5% Slowly available Nitrogen from Methylene Ureas.

Canada

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

#### Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.8 lbs per 1,000 sq. ft. or 122 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.6 lbs per 1,000 sq. ft. or 70 lbs. per acre.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.9# N / 1,000 sq. ft.	0.5# N / 1,000 sq. ft.
Lebanon Turf	4½	3½
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/17	F/13
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4½	3½
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

#### WARNING



#### Hazard Statements

Causes skin irritation. (Category 2)  
Causes eye irritation. (Category 2B)  
May be harmful if inhaled. (Category 5)  
Suspected of causing cancer. (Category 2)

#### Precautionary Statements

Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wash hands and exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use personal protective equipment as required.  
If in eyes, rinse with water and seek medical attention if symptoms persist.  
Take off contaminated clothing and wash before reuse.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.  
If skin irritation occurs: Get medical advice/ attention.  
If eye irritation persists: Get medical advice/attention.  
Store locked up.  
Dispose of contents/container properly as required by law for waste pesticides.  
If exposed or concerned, seek medical advice.

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 0.8 to 2.0 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

#### Application Rates:


To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.8kg of product per 100 sq. meters.

#### SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N/100 m <sup>2</sup>	0.24 kg# N/100 m <sup>2</sup>
Lebanon Turf	4½	3½
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/17	F/13
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4½	3½
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 88685 54324 1  
F699 **22-54324** H/17

Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.regulatory-info-lebsea.com>

#### WARRANTY

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

800-233-0628 • (717-273-1685)

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

# NET WEIGHT **50** LBS. (22.7 KG)



# FERTILIZER

# 32-0-6

# MESA

P A T E N T E D

### GUARANTEED ANALYSIS

Total Nitrogen (N) ..... 32%  
 3.9% Ammoniacal Nitrogen  
 2.4% Water Insoluble Nitrogen\*  
 21.6% Urea Nitrogen  
 4.1% Other Water Soluble Nitrogen\*

Soluble Potash (K<sub>2</sub>O)..... 6%  
 Sulfur (S)..... 4.5%  
 4.5% Combined Sulfur (S)

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

\*6.5% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than ..... 6.0%

U.S.A.

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) ..... 32%  
 3.9% Ammoniacal Nitrogen  
 2.4% Water Insoluble Nitrogen\*  
 21.6% Urea Nitrogen  
 4.1% Other Water Soluble Nitrogen\*

Soluble Potash (K<sub>2</sub>O)..... 6%  
 Sulfur (S)..... 4.5%  
 4.5% Combined Sulfur (S)

Chlorine (Cl) (maximum) ..... 6.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash.

\*6.5% Slowly available Nitrogen from Methylene Ureas.

Canada

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**Application Rates:**  
 To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.8 lbs per 1,000 sq. ft. or 122 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 1.6 lbs per 1,000 sq. ft. or 70 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	4½	3½
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/17	F/13
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4½	3½
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARNING



#### Hazard Statements

Causes skin irritation. (Category 2)  
 Causes eye irritation. (Category 2B)  
 May be harmful if inhaled. (Category 5)  
 Suspected of causing cancer. (Category 2)

#### Precautionary Statements

Do not handle until all safety precautions have been read and understood.  
 Avoid breathing dust/fume/gas/mist/vapours/spray.  
 Wash hands and exposed skin thoroughly after handling.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Use personal protective equipment as required.  
 If in eyes, rinse with water and seek medical attention if symptoms persist.  
 Take off contaminated clothing and wash before reuse.  
 IF ON SKIN: Wash with plenty of soap and water.  
 IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.  
 If skin irritation occurs: Get medical advice/ attention.  
 If eye irritation persists: Get medical advice/attention.  
 Store locked up.  
 Dispose of contents/container properly as required by law for waste pesticides.  
 If exposed or concerned, seek medical advice.

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.


Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 0.8 to 2.0 Kg for 100 m2, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
 To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 1.5 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.8kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N/100 m <sup>2</sup>	0.24 kg# N/100 m <sup>2</sup>
Lebanon Turf	4½	3½
Andersons AccuPro	K	G
Earthway Rotary	15	13
Gandy	26	23
Lely	5 II	3½ II
Lesco (letter/numeric)	i/17	F/13
PennMulch HVO	K	G
ProScape SS	K	G
Spyker	4½	3½
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

22-54324

H/17

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

**WARRANTY**

**NOTE** To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

800-233-0628 • (717-273-1685)

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-lebsea.com>

**NET WEIGHT 50 LBS. (22.7 KG)**